

CPT Code	CPT Description	Work RVU	MP RVU	Non-Fac PE RVU	Facility PE RVU	Non-Fac Total	Facility Total	2016 CF	2016 Non-Fac Payment	2016 Facility Payment
92516	Facial nerve function test	0.43	0.03	1.54	0.20	2.00	0.66	\$35.8279	\$71.66	\$23.65
92552	Pure tone audiometry air	0.00	0.01	0.87	NA	0.88	NA	\$35.8279	\$31.53	NA
92553	Audiometry air & bone	0.00	0.01	1.04	NA	1.05	NA	\$35.8279	\$37.62	NA
92555	Speech threshold audiometry	0.00	0.01	0.64	NA	0.65	NA	\$35.8279	\$23.29	NA
92556	Speech audiometry complete	0.00	0.01	1.04	NA	1.05	NA	\$35.8279	\$37.62	NA
92561	Bekesy audiometry diagnosis	0.00	0.02	1.05	NA	1.07	NA	\$35.8279	\$38.34	NA
92562	Loudness balance test	0.00	0.01	1.30	NA	1.31	NA	\$35.8279	\$46.93	NA
92563	Tone decay hearing test	0.00	0.01	0.86	NA	0.87	NA	\$35.8279	\$31.17	NA
92564	Sisi hearing test	0.00	0.01	0.78	NA	0.79	NA	\$35.8279	\$28.30	NA
92565	Stenger test pure tone	0.00	0.01	0.44	NA	0.45	NA	\$35.8279	\$16.12	NA
92571	Filtered speech test	0.00	0.01	0.75	NA	0.76	NA	\$35.8279	\$27.23	NA
92572	Staggered spondaic word test	0.00	0.01	1.00	NA	1.01	NA	\$35.8279	\$36.19	NA
92576	Synthetic sentence test	0.00	0.01	1.00	NA	1.01	NA	\$35.8279	\$36.19	NA
92577	Stenger test speech	0.00	0.01	0.46	NA	0.47	NA	\$35.8279	\$16.84	NA
92579	Visual audiometry (vra)	0.70	0.05	0.44	0.32	1.19	1.07	\$35.8279	\$42.64	\$38.34
92582	Conditioning play audiometry	0.00	0.02	1.89	NA	1.91	NA	\$35.8279	\$68.43	NA
92583	Select picture audiometry	0.00	0.01	1.46	NA	1.47	NA	\$35.8279	\$52.67	NA
92584	Electrocochleography	0.00	0.02	2.05	NA	2.07	NA	\$35.8279	\$74.16	NA
92586	Auditor evoke potent limit	0.00	0.02	2.38	NA	2.40	NA	\$35.8279	\$85.99	NA
92596	Ear protector evaluation	0.00	0.02	1.17	NA	1.19	NA	\$35.8279	\$42.64	NA
92601	Cochlear implt f/up exam <7	2.30	0.14	1.56	0.96	4.00	3.40	\$35.8279	\$143.31	\$121.81
92602	Reprogram cochlear implt 7/>	1.30	0.07	1.16	0.60	2.53	1.97	\$35.8279	\$90.64	\$70.58
92603	Cochlear implt f/up exam 7/>	2.25	0.10	1.93	1.12	4.28	3.47	\$35.8279	\$153.34	\$124.32
92604	Reprogram cochlear implt 7/>	1.25	0.05	1.22	0.62	2.52	1.92	\$35.8279	\$90.29	\$68.79
92626	Eval aud rehab status	1.40	0.05	1.08	0.71	2.53	2.16	\$35.8279	\$90.64	\$77.39
92627	Eval aud status rehab add-on	0.33	0.01	0.28	0.17	0.62	0.51	\$35.8279	\$22.21	\$18.27
92640	Aud brainstem implt programg	1.76	0.07	1.37	0.88	3.20	2.71	\$35.8279	\$114.65	\$97.09

CPT Code	CPT Description	Work RVU	MP RVU	Non-Fac PE RVU	Facility PE RVU	Non-Fac Total	Facility Total	2016 CF	2016 Non-Fac Payment	2016 Facility Payment
92537	Caloric vstblr test w/rec	0.60	0.03	0.51	NA	1.14	NA	\$35.8279	\$40.84	NA
92537 TC	Caloric vstblr test w/rec	0.00	0.01	0.23	NA	0.24	NA	\$35.8279	\$8.60	NA
92537 26	Caloric vstblr test w/rec	0.60	0.02	0.28	0.28	0.90	0.90	\$35.8279	\$32.25	\$32.25
92538	Caloric vstblr test w/rec	0.30	0.02	0.26	NA	0.58	NA	\$35.8279	\$20.78	NA
92538 TC	Caloric vstblr test w/rec	0.00	0.01	0.12	NA	0.13	NA	\$35.8279	\$4.66	NA
92538 26	Caloric vstblr test w/rec	0.30	0.01	0.14	0.14	0.45	0.45	\$35.8279	\$16.12	\$16.12
92540	Spontaneous nystagmus test	1.50	0.06	1.31	NA	2.87	NA	\$35.8279	\$102.83	NA
92540 TC	Spontaneous nystagmus test	0.00	0.01	0.61	NA	0.62	NA	\$35.8279	\$22.21	NA
92540 26	Spontaneous nystagmus test	1.50	0.05	0.70	0.70	2.25	2.25	\$35.8279	\$80.61	\$80.61
92541	Spontaneous nystagmus test	0.40	0.02	0.26	NA	0.68	NA	\$35.8279	\$24.36	NA
92541 TC	Spontaneous nystagmus test	0.00	0.01	0.08	NA	0.09	NA	\$35.8279	\$3.22	NA
92541 26	Spontaneous nystagmus test	0.40	0.01	0.18	0.18	0.59	0.59	\$35.8279	\$21.14	\$21.14
92542	Positional nystagmus test	0.48	0.03	0.28	NA	0.79	NA	\$35.8279	\$28.30	NA
92542 TC	Positional nystagmus test	0.00	0.01	0.07	NA	0.08	NA	\$35.8279	\$2.87	NA
92542 26	Positional nystagmus test	0.48	0.02	0.21	0.21	0.71	0.71	\$35.8279	\$25.44	\$25.44
92544	Optokinetic nystagmus test	0.27	0.02	0.18	NA	0.47	NA	\$35.8279	\$16.84	NA
92544 TC	Optokinetic nystagmus test	0.00	0.01	0.06	NA	0.07	NA	\$35.8279	\$2.51	NA
92544 26	Optokinetic nystagmus test	0.27	0.01	0.12	0.12	0.40	0.40	\$35.8279	\$14.33	\$14.33
92545	Oscillating tracking test	0.25	0.02	0.16	NA	0.43	NA	\$35.8279	\$15.41	NA
92545 TC	Oscillating tracking test	0.00	0.01	0.05	NA	0.06	NA	\$35.8279	\$2.15	NA
92545 26	Oscillating tracking test	0.25	0.01	0.11	0.11	0.37	0.37	\$35.8279	\$13.26	\$13.26
92546	Sinusoidal rotational test	0.29	0.03	2.58	NA	2.90	NA	\$35.8279	\$103.90	NA
92546 TC	Sinusoidal rotational test	0.00	0.02	2.46	NA	2.48	NA	\$35.8279	\$88.85	NA
92546 26	Sinusoidal rotational test	0.29	0.01	0.12	0.12	0.42	0.42	\$35.8279	\$15.05	\$15.05
92547	Supplemental electrical test	0.00	0.00	0.17	NA	0.17	NA	\$35.8279	\$6.09	NA
92548	Posturography	0.50	0.03	2.35	NA	2.88	NA	\$35.8279	\$103.18	NA
92548 TC	Posturography	0.00	0.01	2.13	NA	2.14	NA	\$35.8279	\$76.67	NA

CPT Code	CPT Description	Work RVU	MP RVU	Non-Fac PE RVU	Facility PE RVU	Non-Fac Total	Facility Total	2016 CF	2016 Non-Fac Payment	2016 Facility Payment
92548 26	Posturography	0.50	0.02	0.22	0.22	0.74	0.74	\$35.8279	\$26.51	\$26.51
92550	Tympanometry & reflex thresh	0.35	0.02	0.23	NA	0.60	NA	\$35.8279	\$21.50	NA
92557	Comprehensive hearing test	0.60	0.03	0.43	0.29	1.06	0.92	\$35.8279	\$37.98	\$32.96
92567	Tympanometry	0.20	0.01	0.20	0.10	0.41	0.31	\$35.8279	\$14.69	\$11.11
92568	Acoustic refl threshold tst	0.29	0.02	0.14	0.13	0.45	0.44	\$35.8279	\$16.12	\$15.76
92570	Acoustic immitance testing	0.55	0.03	0.33	0.27	0.91	0.85	\$35.8279	\$32.60	\$30.45
92575	Sensorineural acuity test	0.00	0.02	2.02	NA	2.04	NA	\$35.8279	\$73.09	NA
92585	Auditor evoke potent compre	0.50	0.04	3.28	NA	3.82	NA	\$35.8279	\$136.86	NA
92585 TC	Auditor evoke potent compre	0.00	0.02	3.04	NA	3.06	NA	\$35.8279	\$109.63	NA
92585 26	Auditor evoke potent compre	0.50	0.02	0.24	0.24	0.76	0.76	\$35.8279	\$27.23	\$27.23
92587	Evoked auditory test limited	0.35	0.02	0.24	NA	0.61	NA	\$35.8279	\$21.86	NA
92587 TC	Evoked auditory test limited	0.00	0.01	0.08	NA	0.09	NA	\$35.8279	\$3.22	NA
92587 26	Evoked auditory test limited	0.35	0.01	0.16	0.16	0.52	0.52	\$35.8279	\$18.63	\$18.63
92588	Evoked auditory tst complete	0.55	0.02	0.36	NA	0.93	NA	\$35.8279	\$33.32	NA
92588 TC	Evoked auditory tst complete	0.00	0.01	0.10	NA	0.11	NA	\$35.8279	\$3.94	NA
92588 26	Evoked auditory tst complete	0.55	0.01	0.26	0.26	0.82	0.82	\$35.8279	\$29.38	\$29.38
92620	Auditory function 60 min	1.50	0.06	1.10	0.78	2.66	2.34	\$35.8279	\$95.30	\$83.84
92621	Auditory function + 15 min	0.35	0.01	0.27	0.18	0.63	0.54	\$35.8279	\$22.57	\$19.35
92625	Tinnitus assessment	1.15	0.05	0.78	0.57	1.98	1.77	\$35.8279	\$70.94	\$63.42