

Author Index

- Adamek M, 132
 Adamonis J, 205
 Anderson JS, 188
- Bagatto MP, 407
 Batra R, 188
 Bauch CD, 72
 Britt L, 438
 Brown CJ, 227, 416
- Carle R, 25
 Carpenter M, 383
 Chermak GD, 332
 Cienkowski KM, 38
 Clay KS, 416
 Cone-Wesson B, 173, 260, 270
 Cord MT, 295, 308, 356
 Crandell CC, 493
 Cranford JL, 383
 Cruickshanks KJ, 323
- Dalebout SD, 83
 D'Angelo WR, 188
 Davies MG, 367
 De Chicchis AR, 383
 Dietrich S, 146
 Dimitrijevic A, 205, 246
 Dowell RC, 173
 Doyle LW, 121
 Driscoll C, 392, 403
- Emanuel DC, 93
 Estes R, 1, 59
- Fausti SA, 523, 559
 Fitzpatrick DC, 188
 Fowler CG, 72
 Fox LG, 83
 Freeman BA, 121
- Gfeller K, 132
 Gienapp BA, 227
 Greenwald R, 438
- Harris S, 146
 Hay-McCutcheon MJ, 416
 Hedrick MS, 154
 Henry JA, 523, 545, 559
 Henshall KR, 14
 Hoover BM, 407
- Hymel MR, 383
- Jacobson G, 59, 339
 Jastreboff MM, 523
 Jastreboff PJ, 523
 Jerger J, 1, 59, 285, 438
 Jerger S, 463, 478
 John MS, 205, 246
- Kei J, 392, 403
 Kelly AS, 367
 Kileny PR, 169
 Klein BEK, 323
 Klein R, 323
 Klostermann B, 169
 Kuk F, 503
 Kuwada S, 188
- Lai L, 463, 478
 Latham S, 392
 Laugesen S, 25
 Lehman ME, 160
 Lewis JE, 339
 Loscher J, 392
- Marchman VA, 463, 478
 Marcoux A, 503
 Martin J, 438
 McCaslin DL, 339
 McDermott HJ, 14
 McKay CM, 14
 McPherson B, 392, 403
 Mehr M, 132
 Mehta J, 438
 Ming WJ, 173
 Miranda TT, 50
 Moncrieff DW, 428
 Moodie KS, 407
 Musiek FE, 428
- Nagler SM, 559
 Nedzelski JM, 205
 Nielsen C, 25
 Nondahl DM, 323
- Olsen WO, 72
 Olson L, 295, 308
 Ostroff J, 205
 Overson G, 438
- Pankiw R, 160
- Parker J, 260, 270
 Parthasarathy TK, 169
 Pelletier S, 146
 Pichora-Fuller MK, 50
 Picton TW, 205, 246
 Plyler PN, 154
 Polka L, 345
 Pollard J, 270
 Poulis C, 270
 Pugh KC, 493
 Purcell DW, 205, 246
 Purdy SC, 367
- Rance G, 173, 236
 Rickards F, 236, 260, 270
 Ringgenberg S, 132
 Robertson K, 392
 Rogers J, 132
- Saunders GH, 38
 Schechter MA, 523, 545, 559
 Schmidt Clay KM, 227
 Scollie SD, 407
 Scott J, 438
 Seewald RC, 407
 Seikel JA, 332
 Seyle K, 416
 Shahnaz N, 345
 Simpson TH, 160
 Smyth V, 392
 Stewart M, 160
 Stordahl J, 132
 Surr RK, 295, 308
 Swiderski N, 260
- Tan L, 270
 Teissier N, 188
 Thibodeau L, 438
 Tillman G, 285, 438
 Tomlin D, 173
 Tucker DA, 146
 Tucker E, 332
 Tweed TS, 323
- Vander Werff KR, 227
 Van Roon P, 205
- Walden BE, 295, 308, 356
 Walden TC, 356
 Wiley TL, 323
 Witt S, 132

Subject Index

- Abbreviated Profile of Hearing Aid Benefit (APHAB), 295–307
- ABR. *See* Auditory brainstem response
- Acoustic neuroma, 72–81
- Adaptive-directional microphone, 308–322
- ADHD. *See* Attention-deficit hyperactivity disorder
- AEPs. *See* Auditory evoked potentials
- AERPs. *See* Auditory event-related potentials
- African American elderly, 493–500, 521
- Age
- hemispheric asymmetry in event-related potentials, 1–12
 - real-ear-to-coupler difference, 407–414
- Aged. *See* Elderly
- AMFR. *See* Amplitude-modulation following response
- AMLR. *See* Auditory middle latency response
- Amplification, 505–507
- Amplitude-modulation following response (AMFR), 188–203
- APD. *See* Auditory processing disorder
- APHAB. *See* Abbreviated Profile of Hearing Aid Benefit
- ASSR. *See* Auditory steady-state response
- Asymmetry
- ear, 403–407
 - in event-related potentials, 1–12, 59–70, 285–294, 342–343
 - hemispheric, 1–12, 59–70, 285–294, 342–343
 - interaural, 428–436
- Attention
- auditory processing battery, 100, 106–107
 - electrophysiologic correlates in young and elderly, 383–391, 400–401
- Attention-deficit hyperactivity disorder (ADHD), 106, 332–338
- Audio input, 514–515
- Audiology students, 121–131
- Audiometry, 205–222, 250
- Auditory brainstem response (ABR)
- auditory steady-state response and, 173–185, 225, 227–234, 283
 - in children, 227–234, 283, 367–378, 382
 - electrically evoked, 416–426, 461–462
 - stimulus polarity in, 72–81
- Auditory distractors
- phonologically related, 478–490
 - semantically related, 463–477
- Auditory event-related potentials (AERPs), 383–391, 400–401
- Auditory evoked potentials (AEPs)
- cortical, 367–378, 382
 - late, 383–391
 - signal-to-noise ratio in, 83–92
 - steady-state, 260–269, 270–282
 - See also* Auditory steady-state response
- Auditory evoked response asymmetry in event-related potentials, 1–12
- in children, 227–234, 367–378
 - effects of stimulus rate and gender, 146–151
- Auditory middle latency response (AMLR), 146–151, 171
- Auditory processing battery, 93–109, 113–118
- Auditory processing disorder (APD)
- attention-deficit hyperactivity disorder and, 332–338
 - in children, 59–70, 367–378
 - in twins, 438–459
- Auditory steady-state response (ASSR)
- amplitude-modulation following response and, 188–203
 - auditory brainstem response and, 173–185, 225, 227–234, 283
 - in children, 227–234, 270–282, 283
 - in infants, 236–244, 270–282
 - multiple, 205–222, 246–258
 - in neonates, 260–269
- Auditory threshold, 173–185, 205–222, 225
- Backward masking, 438–459
- Behind-the-ear (BTE) hearing aids, 568, 570
- Binaural interaction, 98–99, 105–106
- Bone-conduction thresholds, 220–222, 271–276
- BTE. *See* Behind-the-ear (BTE) hearing aids
- CAEP. *See* Cortical auditory evoked potential
- Children
- auditory brainstem response in, 227–234, 283, 367–378, 382
 - auditory processing disorder in, 59–70
 - auditory steady-state response in, 227–234, 270–282, 283
 - dyslexic, 428–436
 - hearing aid fitting in, 503–518
 - with hearing loss, 463–490
 - hemispheric asymmetry in, 1–12, 59–70
 - with learning disabilities, 367–378, 382
 - picture naming, 463–490
 - poor listeners, 59–70
 - real-ear-to-coupler difference in, 407–414
 - transient evoked otoacoustic emissions in, 392–399, 403–406
 - See also* Infants
- Cochlear implants
- music training and timbre recognition in, 132–144
 - Nucleus CI24R, 416–426, 461–462
 - syllabic input compression for, 14–24

- Competing Words test, 367–378, 382, 433–434
- Compliance, 25–36
- Compression
 syllabic input, 14–24
 wide dynamic range, 506–518
- Conductive hearing loss, 35–36, 214–217
- Consistency, 503–518
- Consonants, 154–159, 434
- Cortical auditory evoked potential (CAEP), 367–378, 382
- Current drain, 516–517
- Custom-fit hearing aids, 356–365
- Deafness. *See* Hearing loss
- Denver Prescreening
 Developmental
 Questionnaire (DPDQ), 467–468
- Developmental Test of Visual Motor Integration (VMI), 467–468
- Dichotic Consonant-Vowel test, 434
- Dichotic Digits test, 433
- Dichotic listening, 98, 103, 428–459
- Direct audio input, 514–515
- Directional microphone hearing aid (DMHA), 295–322, 512–513
- Distortion-product otoacoustic emissions (DPOAEs)
 in newborns, 169–170
 tinnitus and, 568
- DMHA. *See* Directional microphone hearing aid
- Doctoral degree, 121–131
- DPDQ. *See* Denver Prescreening Developmental Questionnaire
- DPOAEs. *See* Distortion-product otoacoustic emissions
- Dyslexia, 428–436
- EABR. *See* Electrically evoked auditory brainstem response
- EAP. *See* Electrically evoked whole-nerve action potential
- Earmolds, 25–36, 412–413
- Elderly
 African American, 493–500, 521
 attention versus distraction in, 383–391, 400–401
 hearing handicap in, 493–500, 521
 hearing loss in, 323–330, 493–500, 521
 hemispheric asymmetry in, 1–12
 tinnitus in, 323–330
- Electrical audiometry, 188–203
- Electrically evoked auditory brainstem response (EABR), 416–426, 461–462
- Electrically evoked whole-nerve action potential (EAP), 416–426, 461–462
- Electrodes, 193–194, 375
- Electroencephalograph, 61–62
- Environment, 308–322
- ERPs. *See* Event-related potentials
- Event-related potentials (ERPs)
 auditory, 383–391, 400–401
 hemispheric asymmetry in, 1–12, 59–70, 285–294, 342–343
 mismatch negativity, 83–92
 in twins, 438–459
- Firearms, 160–168
- Forced choice, 533, 535, 566
- Functional health, 493–500, 521
- Gap detection, 63, 443–445
- Gender
 in auditory middle latency response, 146–151, 171
 firearm users' hearing loss and, 160–168
- Group delay, 517
- Handedness, 403–406
- Handicap. *See* Hearing handicap
- Health, 493–500, 521
- Hearing aids
 behind-the-ear, 568, 570
 benefits from, 295–307, 314–315
 custom-fit, 356–365
 directional microphone, 295–322, 512–513
 fitting, 503–518
 in-the-ear, 568–570
 linear, 507
 nonlinear, 507–508
 omnidirectional, 308–322
 own voice and, 25–36
 preference in, 308–322
 satisfaction with, 38–49
- Hearing handicap
 in elderly, 493–500, 521
 in firearm users, 160–168
- Hearing Handicap Inventory for the Elderly (HHIE), 493–500, 521
- Hearing impairment. *See* Hearing loss
- Hearing in Noise Test (HINT), 356–365, 438–459
- Hearing loss
 in children, 463–490
 conductive, 35–36, 214–217
 in elderly, 323–330, 493–500, 521
 in firearm users, 160–168
 functional health and, 493–500, 521
 high-frequency, 356–365
 sensorineural, 72–81, 211–214
 stimulus presentation level, 154–159
 tinnitus and, 527
See also Hearing aids
- Hearing screening, 276–280, 392–399
- Hemispheric asymmetry, 1–12, 59–70, 285–294, 342–343
- HHIE. *See* Hearing Handicap Inventory for the Elderly
- High-frequency hearing loss, 356–365
- HINT. *See* Hearing in Noise Test
- Hyperactivity, 332–338
- ILO Otodynamics
 Quickscreen program, 392–399, 403–406
- Immittance, 345–354
- Infants
 auditory steady-state response in, 236–244, 260–282

- hearing screening for, 169–170, 392–399
 prediction of hearing threshold in, 236–244
 real-ear-to-coupler difference in, 407–414
 transient evoked otoacoustic emissions in, 392–399
 Interaural asymmetry, 285–294, 428–436
 In-the-ear (ITE) hearing aids, 568–570
 ITE. *See* In-the-ear (ITE) hearing aids

 Jitter, 50–57

 LAEPs. *See* Late auditory evoked potentials
 Late auditory evoked potentials (LAEPs), 383–391
 Late cortical evoked potentials, 367–378
 LDL. *See* Loudness discomfort level
 Learning disabilities, 367–378, 382
 Linear amplification, 507
 Listening, 59–70, 98, 103, 428–459
 Loudness discomfort level (LDL), 528, 532, 536–537, 564, 567–568
 Loudness matching, 550, 565–566
 Low-redundancy speech, 97–98, 102–103

 Masking
 backward, 438–459
 tinnitus, 523–578
 MASTER. *See* Multiple auditory steady-state response
 Master's degree, 121–131
 Median method, 83–92
 Medical Outcomes Study 36-Item Short Form Health Survey, 493–500, 521
 Memory, 100
 Microphone
 directional, 295–322, 512–513
 omnidirectional, 308–322
 Microphone Performance Questionnaire (MPQ), 295–307
 Middle ear, 345–354, 414
 Middle latency response (MLR), 367–378, 382
 Minimum masking level (MML), 532, 536, 547, 566
 MINT. *See* Multiple-intensity technique
 Mismatch negativity (MMN), 83–92
 Mixed hearing loss, 35
 MLR. *See* Middle latency response
 MML. *See* Minimum masking level
 MMN. *See* Mismatch negativity
 Modulation frequency, 192–193, 264–268
 Monaural low-redundancy speech, 97–98, 102–103
 MPQ. *See* Microphone Performance Questionnaire
 Multiple auditory steady-state response (MASTER), 205–222, 246–258
 Multiple-intensity technique (MINT), 251–254
 Music training, 132–144

 Narrow-band noise, 535–536
 Near Point Vision Test (NPVT), 467–468
 Neonates, 260–269
 Neural dyssynchrony, 50–57
 Neuroma, 72–81
 Newborns. *See* Infants; Neonates
 Noise
 background, 247–248, 316–317
 firearm users' hearing loss, 160–168
 narrow-band, 535–536
 signal-to-noise ratio, 38–49, 83–92, 512–515
 Nonlinear amplification, 507–508
 NPVT. *See* Near Point Vision Test
 Nucleus CI24R cochlear implant, 416–426, 461–462

 Occlusion, 25–36

 ODMHA. *See*
 Omnidirectional microphone hearing aid
 Omnidirectional microphone hearing aid (ODMHA), 308–322
 Otosclerosis, 345–354
 Otoscopic inspection, 549

 Peabody Picture Vocabulary Test (PPVT), 467–478
 Pediatrics. *See* Children
 Perceptual-performance discrepancy (PPDIS), 38–49
 Performance intensity, phonetically balanced (PI-PB) rollover, 50–57
 PHAB. *See* Profile of Hearing Aid Benefit
 Phoneme discrimination, 478–490
 Phonetic boundary, 154–159
 Phonologically related disorders, 478–490
 Picture naming, 463–476, 478–490
 PI-PB. *See* Performance intensity, phonetically balanced (PI-PB) rollover
 Pitch matching, 550, 565–566
 Poor listeners, 59–70
 PPDIS. *See* Perceptual-performance discrepancy
 PPVT. *See* Peabody Picture Vocabulary Test
 Presbycusis, 323–330
 Probe-tone frequency, 345–354
 Profile of Hearing Aid Benefit (PHAB), 295–307, 314–315
 Psychoacoustic assessment, 549–550, 565
 Psychoeducational testing, 100–101
 Pure-tone average, 160–168
 Pure-tone thresholds, 496

 Quality of life, 493–500, 521

 Real-ear aided response (REAR), 356–365
 Real-ear-to-coupler difference (RECD), 407–414
 REAR. *See* Real-ear aided response

- RECD. *See* Real-ear-to-coupler difference
- Resonance, 345–354
- Same-different paradigm, 285–294
- Saturation distortions, 517
- Scalp-recorded amplitude-modulation following response, 188–203
- SCAN Competing Words test, 367–378, 382, 428–436
- Screening, 276–280, 392–399
- Seasonal effects, 392–399
- Semantic interference, 463–477
- Seniors. *See* Elderly
- Sensorineural hearing loss (SNHL), 72–81, 211–214
- SF-36. *See* Medical Outcomes Study 36-Item Short Form Health Survey
- Signal processing, 19, 83–92
- Signal rate, 146–151, 171
- Signal-to-noise ratio (SNR), 38–49, 83–92, 512–515
- SNHL. *See* Sensorineural hearing loss
- SNR. *See* Signal-to-noise ratio
- Sound
- movement task, 63–64
 - therapy, 570–571, 573
- See also* Noise
- Speech
- intelligibility, 38–49
 - monaural low-redundancy, 97–98, 102–103
 - perception, 14–24, 38–49, 154–159
 - recognition, 313–314, 356–365
 - temporally jittered, 50–57
 - understanding, 317–318
- Speech reception threshold (SRT), 38–49
- SRT. *See* Speech reception threshold
- SSEPs. *See* Steady-state evoked potentials
- Staggered Spondaic Word score, 367–378, 382
- Static immittance, 345–354
- Steady-state evoked potentials (SSEPs), 173–203, 225, 246–258
- Stimulus
- polarity in auditory brainstem response, 72–81
 - presentation level, 154–159
 - rate in auditory middle latency response, 146–151, 171
- Stop consonant identification, 154–159
- Suicide, 339–341
- Syllabic input compression, 14–24
- System delay, 517
- Temporal compounds, 285–294, 342–343
- Temporal jitter, 50–57
- Temporal processing, 98, 103–105, 188–203
- TEOAEs. *See* Transient evoked otoacoustic emissions
- Timbre recognition, 132–144
- Tinnitus
- counseling, 552, 573–575
 - in elderly, 323–330
 - evaluation for treatment, 564–568
 - follow-up, 575
 - management, 546–552
 - masking approach, 545–554, 559–578
 - ongoing treatment, 571–573
 - prescribing and initiating treatment, 568–570
 - retraining therapy, 523–544, 559–578
 - sound therapy, 570–571
 - suicide and, 339–341
- Tone quality, 132–144
- Transient evoked otoacoustic emissions (TEOAEs) in children, 392–399, 403–406
- ear asymmetry in, 403–407
- seasonal effects on, 392–399
- Twins, 438–459
- Two-alternative forced choice, 533, 535, 566
- Tympanometry, 25–36, 273–274, 345–354
- Vent and venting, 25–36, 413–414
- Visual discrimination task, 64
- VMI. *See* Developmental Test of Visual Motor Integration
- Vowels, 434
- Waveforms, 65–66, 87–88, 89
- WDRC. *See* Wide dynamic range compression
- Wechsler Intelligence Scale for Children (WISC), 467
- Whole-nerve action potential, 416–426, 461–462
- Wide dynamic range compression (WDRC), 506–518
- WIPI. *See* Word Intelligibility by Picture Identification (WIPI) test
- WISC. *See* Wechsler Intelligence Scale for Children
- Word
- competition, 367–378, 382, 428–436
 - recognition, 50–57
- Word Intelligibility by Picture Identification (WIPI) test, 467–468
- Young adults
- asymmetry in event-related potentials, 1–12
 - attention versus distraction in, 383–391, 400–401
 - jitter and performance intensity in, 50–57