CY 2022 Final Medicare Physician Fee Schedule - Calculations of Payment Rates for Audiology Services

| CPT Code | Descriptor | MPFS FINAL 2020 | MPFS Final 2021 | MIPS Final 2022 | % Change Final 2021 to Final 2022 |
|----------|---|-----------------|-----------------|-----------------|--------------------------------------|
| 92537 | Caloric vestibular test with recording, bilateral; bithermal | \$41.86 | \$39.86 | \$40.65 | 1.98% |
| TC | (ie, one warm and one cool irrigation in each ear for a | \$9.74 | \$10.37 | \$10.08 | -2.79% |
| PC | total of four irrigations) | \$32.12 | \$29.49 | \$30.57 | 3.66% |
| 92538 | Caloric vestibular test with recording, bilateral; | \$22.74 | \$21.71 | \$22.51 | 3.68% |
| TC | monothermal (ie, one irrigation in each ear for a total of | \$6.14 | \$6.80 | \$6.72 | -1.17% |
| PC | two irrigations) | \$16.60 | \$14.91 | \$15.79 | 5.90% |
| 92540 | Basic vestibular evaluation, includes spontaneous nystagmus test with eccentric gaze fixation nystagmus, with recording, positional nystagmus test, minimum of 4 positions, with recording, optokinetic nystagmus test, | \$108.63 | \$105.33 | \$109.87 | 4.31% |
| TC | bidirectional foveal and peripheral stimulation, with | \$27.79 | \$31.76 | \$33.27 | 4.75% |
| PC | recording, and oscillating tracking test, with recording | \$80.84 | \$73.57 | \$76.60 | 4.11% |
| 92541 | Spontaneous nystagmus test, including gaze and fixation nystagmus, with recording | \$25.98 | \$24.31 | \$25.20 | 3.66% |
| TC | | \$4.33 | \$4.54 | \$4.70 | 3.52% |
| PC | | \$21.65 | \$19.77 | \$20.50 | 3.69% |
| 92542 | Positional nystagmus test, minimum of 4 positions, with | \$29.95 | \$28.20 | \$28.89 | 2.44% |
| TC | recording | \$3.97 | \$4.54 | \$4.37 | -3.74% |
| PC | | \$25.98 | \$23.66 | \$24.52 | 3.63% |
| 92544 | Optokinetic nystagmus test, bidirectional, foveal or | \$18.04 | \$17.18 | \$17.81 | 3.66% |
| TC | peripheral stimulation, with recording | \$3.25 | \$3.57 | \$3.70 | 3.64% |
| PC | periprieral sumulation, with recording | \$14.79 | \$13.61 | \$14.11 | 3.67% |
| 92545 | | \$16.96 | \$16.21 | \$16.80 | 3.63% |
| TC | Oscillating tracking test, with recording | \$3.25 | \$3.57 | \$3.70 | 3.64% |
| PC | 1 | \$13.71 | \$12.64 | \$13.10 | 3.63% |
| 92546 | | \$111.52 | \$117.32 | \$124.31 | 5.95% |
| TC | Sinusoidal vertical axis rotational testing | \$96.00 | \$103.06 | \$109.53 | 6.27% |
| PC | | \$15.52 | \$14.26 | \$14.78 | 3.64% |
| 92547 | Use of vertical electrodes (List separately in addition to code for primary procedure) | \$8.66 | \$9.72 | \$10.42 | 7.20% |

| Computerized dynamic posturography sensory organization test (CDPSOT), 6 conditions (ie, eyes open, eyes closed, visual sway, platform sway, eyes closed platform sway, platform and visual sway), including interpretation and report | | | | | | |
|--|-------|--|---------|----------|--------------|---------|
| PC | 92548 | eyes closed, visual sway, platform sway, eyes closed | \$49.80 | \$47.97 | \$48.38 | 0.85% |
| 92549 Computerized dynamic posturography sensory S64.24 S60.93 S63.17 3.67% | TC | interpretation and report | \$14.80 | \$15.56 | \$14.78 | -5.01% |
| TC organization test (CDPSOT), 6 conditions (ie, eyes open, eyes closed, visual sway, platform sway, eyes closed platform sway, platform sway, eyes closed platform sway, platform and visual sway), including interpretation and report with motor control test (MCT) and adaptation test (ADT) 92550 Tympanometry and reflex threshold measurements \$22.74 \$21.39 \$22.18 3.69% 92551 Pure tone hearing test air - non covered \$11.55 \$11.34 \$11.42 0.70% 92552 Pure tone headiometry (threshold); air only \$31.76 \$33.76 \$33.26 4.72% 92553 Pure tone audiometry (threshold); air only \$31.76 \$33.76 \$33.26 4.72% 92555 Speech audiometry (threshold); air and bone \$38.62 \$38.57 \$40.32 4.53% 92555 Speech audiometry threshold; \$24.18 \$23.98 \$25.20 5.08% 92650 Aep scr auditory potential - non covered NA \$27.55 \$28.56 3.66% 92651 Aep broadband with i&r NA \$85.56 \$87.69 2.48% 92652 Aep thrshid est mit freq i&r NA \$119.39 \$114.91 -3.75% 92653 Aep neurodiagnostic i&r NA \$83.29 \$83.34 2.46% 92551 Vemp test i&r cervical NA \$83.35 \$67.87 -16.50% 92518 Vemp test i&r coular NA \$126.72 \$105.50 -16.70% 92559 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 0 Comprehensive audiometry threshold evaluation and speech recognition (9253 and 92556 combined) 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92562 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | PC | 1 | \$35.00 | \$32.41 | \$33.60 | 3.67% |
| TC organization test (CDPSOT), 6 conditions (ie, eyes open, eyes closed, visual sway, platform sway, eyes closed platform sway, eyes closed platform sway, platform sway, platform sway, eyes closed platform sway, eyes closed platform sway, platform sway, platform sway, platform sway, platform sway, eyes closed platform sway, platform sway, eyes closed platform sway, platform sway, eyes closed platform shall sway, eyes closed platform shall sway, eyes closed platform shall sway, eyes closed pla | 92549 | Computerized dynamic posturography sensory | \$64.24 | \$60.93 | \$63.17 | 3.67% |
| PC eyes closed, visual sway, platform sway, eyes closed platform sway, platform and visual sway), including interpretation and report with motor control test (MCT) and adaptation test (ADT) \$45.47 \$42.46 \$43.68 2.87% 92550 Tympanometry and reflex threshold measurements \$22.74 \$21.39 \$22.18 3.69% 92551 Pure tone hearing test air - non covered \$11.55 \$11.34 \$11.42 0.70% 92552 Pure tone audiometry (threshold); air only \$31.76 \$31.76 \$33.26 4.72% 92553 Pure tone audiometry (threshold); air and bone \$38.62 \$38.57 \$40.32 4.53% 92555 Speech audiometry (threshold); air and bone \$38.62 \$38.57 \$40.32 4.53% 92555 Speech audiometry (threshold); air and bone \$38.62 \$38.57 \$40.32 4.53% 92550 Aep audiometry (threshold); air and bone \$38.62 \$38.57 \$40.32 4.53% 92550 Aep dudiometry (threshold); \$24.18 \$23.98 \$25.20 5.08% 92651 Aep broadband with i&r NA \$819.39 \$114.91 <td>TC</td> <td></td> <td>\$18.77</td> <td>\$18.47</td> <td>\$19.49</td> <td>5.52%</td> | TC | | \$18.77 | \$18.47 | \$19.49 | 5.52% |
| 92551 Pure tone hearing test air - non covered \$11.55 \$11.34 \$11.42 0.70% 92552 Pure tone audiometry (threshold); air only \$31.76 \$31.76 \$33.26 4.72% 92553 Pure tone audiometry (threshold); air and bone \$38.62 \$38.57 \$40.32 4.53% 92555 Speech audiometry threshold; \$24.18 \$23.98 \$25.20 5.08% 92650 Aep scr auditory potential - non covered NA \$27.55 \$28.56 3.66% 92651 Aep broadband with i&r NA \$85.56 \$87.69 2.48% 92652 Aep thrshld est mlt freq i&r NA \$119.39 \$114.91 -3.75% 92653 Aep neurodiagnostic i&r NA \$81.35 \$67.87 -16.50% 92517 Vemp test i&r cervical NA \$81.35 \$67.87 -16.50% 92518 Vemp test i&r cervical NA \$126.72 \$105.50 -16.70% 92519 Vemp test i&r cervical NA \$126.72 \$105.50 -16.70% | PC | eyes closed, visual sway, platform sway, eyes closed platform sway, platform and visual sway), including interpretation and report with motor control test (MCT) | \$45.47 | \$42.46 | \$43.68 | 2.87% |
| 92552 Pure tone audiometry (threshold); air only \$31.76 \$31.76 \$33.26 4.72% 92553 Pure tone audiometry (threshold); air and bone \$38.62 \$38.57 \$40.32 4.53% 92555 Speech audiometry threshold; \$24.18 \$23.98 \$25.20 5.08% 92650 Aep scr auditory potential - non covered NA \$27.55 \$28.56 3.66% 92651 Aep broadband with i&r NA \$85.56 \$87.69 2.48% 92652 Aep thrshld est mlt freq i&r NA \$3119.39 \$114.91 -3.75% 92653 Aep neurodiagnostic i&r NA \$83.29 \$85.34 2.46% 92517 Vemp test i&r cervical NA \$81.35 \$67.87 -16.50% 92518 Vemp test i&r cervicalsocular NA \$75.51 \$63.84 -15.40% 92519 Vemp tst i&r cervicalsocular NA \$126.72 \$105.50 -16.70% 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% < | 92550 | Tympanometry and reflex threshold measurements | \$22.74 | \$21.39 | \$22.18 | 3.69% |
| 92553 Pure tone audiometry (threshold); air and bone \$38.62 \$38.57 \$40.32 4.53% 92555 Speech audiometry threshold; \$24.18 \$23.98 \$25.20 5.08% 92650 Aep scr auditory potential - non covered NA \$27.55 \$28.56 3.66% 92651 Aep broadband with i&r NA \$85.56 \$87.69 2.48% 92652 Aep thrishld est mlt freq i&r NA \$119.39 \$114.91 -3.75% 92653 Aep neurodiagnostic i&r NA \$83.29 \$85.34 2.46% 92517 Vemp test i&r cervical NA \$81.35 \$67.87 -16.50% 92518 Vemp test i&r cervical&ocular NA \$75.51 \$63.84 -15.40% 92519 Vemp tst i&r cervical&ocular NA \$126.72 \$105.50 -16.70% 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 92557 Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 | 92551 | Pure tone hearing test air - non covered | \$11.55 | \$11.34 | \$11.42 | 0.70% |
| 92555 Speech audiometry threshold; \$24.18 \$23.98 \$25.20 5.08% 92650 Aep scr auditory potential - non covered NA \$27.55 \$28.56 3.66% 92651 Aep broadband with i&r NA \$85.56 \$87.69 2.48% 92652 Aep thrshld est mlt freq i&r NA \$119.39 \$114.91 -3.75% 92653 Aep neurodiagnostic i&r NA \$83.29 \$85.34 2.46% 92517 Vemp test i&r cervical NA \$81.35 \$67.87 -16.50% 92518 Vemp test i&r ocular NA \$75.51 \$63.84 -15.40% 92519 Vemp tst i&r cervical&ocular NA \$126.72 \$105.50 -16.70% 92551 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 92556 Speech audiometry; threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92561 Bekesy audiometry; screening \$0.00 \$0.00 deleted code < | 92552 | Pure tone audiometry (threshold); air only | \$31.76 | \$31.76 | \$33.26 | 4.72% |
| 92650 Aep scr auditory potential - non covered NA \$27.55 \$28.56 3.66% 92651 Aep broadband with i&r NA \$85.56 \$87.69 2.48% 92652 Aep thrshld est mlt freq i&r NA \$119.39 \$114.91 -3.75% 92653 Aep neurodiagnostic i&r NA \$83.29 \$85.34 2.46% 92517 Vemp test i&r cervical NA \$81.35 \$67.87 -16.50% 92518 Vemp test i&r cervical NA \$75.51 \$63.84 -15.40% 92519 Vemp tst i&r cervical&ocular NA \$126.72 \$105.50 -16.70% 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 92557 Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code | 92553 | Pure tone audiometry (threshold); air and bone | \$38.62 | \$38.57 | \$40.32 | 4.53% |
| 92651 Aep broadband with i&r NA \$85.56 \$87.69 2.48% 92652 Aep thrshld est mlt freq i&r NA \$119.39 \$114.91 -3.75% 92653 Aep neurodiagnostic i&r NA \$83.29 \$85.34 2.46% 92517 Vemp test i&r cervical NA \$81.35 \$67.87 -16.50% 92518 Vemp test i&r ocular NA \$75.51 \$63.84 -15.40% 92519 Vemp tst i&r cervical&ocular NA \$126.72 \$105.50 -16.70% 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 92557 Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% <td>92555</td> <td>Speech audiometry threshold;</td> <td>\$24.18</td> <td>\$23.98</td> <td>\$25.20</td> <td>5.08%</td> | 92555 | Speech audiometry threshold; | \$24.18 | \$23.98 | \$25.20 | 5.08% |
| 92652 Aep thrshld est mlt freq i&r NA \$119.39 \$114.91 -3.75% 92653 Aep neurodiagnostic i&r NA \$83.29 \$85.34 2.46% 92517 Vemp test i&r cervical NA \$81.35 \$67.87 -16.50% 92518 Vemp test i&r ocular NA \$75.51 \$63.84 -15.40% 92519 Vemp tst i&r cervical&ocular NA \$126.72 \$105.50 -16.70% 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 92557 Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% | 92650 | Aep scr auditory potential - non covered | NA | \$27.55 | \$28.56 | 3.66% |
| 92653 Aep neurodiagnostic i&r NA \$83.29 \$85.34 2.46% 92517 Vemp test i&r cervical NA \$81.35 \$67.87 -16.50% 92518 Vemp test i&r ocular NA \$75.51 \$63.84 -15.40% 92519 Vemp tst i&r cervical&ocular NA \$126.72 \$105.50 -16.70% 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 0 Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code | 92651 | Aep broadband with i&r | NA | \$85.56 | \$87.69 | 2.48% |
| 92517 Vemp test i&r cervical NA \$81.35 \$67.87 -16.50% 92518 Vemp test i&r ocular NA \$75.51 \$63.84 -15.40% 92519 Vemp tst i&r cervical&ocular NA \$126.72 \$105.50 -16.70% 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92652 | Aep thrshld est mlt freq i&r | NA | \$119.39 | \$114.91 | -3.75% |
| 92518 Vemp test i&r ocular NA \$75.51 \$63.84 -15.40% 92519 Vemp tst i&r cervical&ocular NA \$126.72 \$105.50 -16.70% 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 92557 Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92653 | Aep neurodiagnostic i&r | NA | \$83.29 | \$85.34 | 2.46% |
| 92519 Vemp tst i&r cervical&ocular NA \$126.72 \$105.50 -16.70% 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 92557 Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92517 | Vemp test i&r cervical | NA | \$81.35 | \$67.87 | -16.50% |
| 92556 Speech audiometry threshold; with speech recognition \$38.25 \$37.92 \$39.65 4.56% 92557 Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92518 | Vemp test i&r ocular | NA | \$75.51 | \$63.84 | -15.40% |
| Sample S | 92519 | Vemp tst i&r cervical&ocular | NA | \$126.72 | \$105.50 | -16.70% |
| 92557 speech recognition (92553 and 92556 combined) \$39.34 \$35.98 \$37.29 3.64% 92560 Bekesy audiometry; screening \$0.00 \$0.00 deleted code 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92556 | Speech audiometry threshold; with speech recognition | \$38.25 | \$37.92 | \$39.65 | 4.56% |
| 92561 Bekesy audiometry; diagnostic \$39.34 \$39.22 deleted code 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92557 | · | \$39.34 | \$35.98 | \$37.29 | 3.64% |
| 92562 Loudness balance test, alternate binaural or monaural \$45.11 \$44.72 \$45.69 2.16% 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92560 | Bekesy audiometry; screening | \$0.00 | \$0.00 | deleted code | |
| 92563 Tone decay test \$31.04 \$30.79 \$31.58 2.50% 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92561 | Bekesy audiometry; diagnostic | \$39.34 | \$39.22 | deleted code | |
| 92564 Short increment sensitivity index (SISI) \$24.18 \$23.66 deleted code 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92562 | Loudness balance test, alternate binaural or monaural | \$45.11 | \$44.72 | \$45.69 | 2.16% |
| 92565 Stenger test, pure tone \$15.99 \$16.85 \$18.82 11.60% | 92563 | Tone decay test | \$31.04 | \$30.79 | \$31.58 | 2.50% |
| | 92564 | Short increment sensitivity index (SISI) | \$24.18 | \$23.66 | deleted code | |
| 92567 Tympanometry (impedance testing) \$16.24 \$15.88 \$16.46 3.65% | 92565 | Stenger test, pure tone | \$15.99 | \$16.85 | \$18.82 | 11.60% |
| | 92567 | Tympanometry (impedance testing) | \$16.24 | \$15.88 | \$16.46 | 3.65% |

| 025.00 | Acquetic rofley testing threshold | ¢1.C. 2.4 | ¢14.00 | Ć1E 4C | 2.750/ |
|--------|---|-----------|----------|----------|---------|
| 92568 | Acoustic reflex testing, threshold | \$16.24 | \$14.90 | \$15.46 | 3.75% |
| 92570 | Acoustic immittance testing, includes tympanometry | 40.00 | 40 | 400 -0 | . ===./ |
| | (impedance testing), acoustic reflex threshold testing, | \$34.29 | \$31.11 | \$32.59 | 4.75% |
| | and acoustic reflex decay testing | | | | |
| 92571 | Filtered speech test | \$27.43 | \$26.58 | \$28.22 | 6.17% |
| 92572 | Staggered spondaic word test | \$35.37 | \$35.97 | \$40.65 | 13.00% |
| 92575 | Sensorineural acuity level test | \$66.41 | \$66.44 | \$69.55 | 4.68% |
| 92576 | Synthetic sentence identification test | \$36.45 | \$35.97 | \$37.63 | 4.61% |
| 92577 | Stenger test, speech | \$14.08 | \$15.23 | \$18.48 | 21.30% |
| 92579 | Visual reinforcement audiometry (VRA) | \$48.00 | \$44.08 | \$45.69 | 3.65% |
| 92582 | Conditioning play audiometry | \$74.35 | \$72.60 | \$76.60 | 5.50% |
| 92583 | Select picture audiometry | \$48.72 | \$48.94 | \$50.06 | 2.28% |
| 92584 | Electrocochleography | \$74.71 | \$115.38 | \$114.23 | -0.98% |
| 92587 | Distortion product evoked otoacoustic emissions; limited evaluation (to confirm the presence or absence of hearing disorder, 3-6 frequencies) or transient evoked otoacoustic emissions, with interpretation and report | \$22.74 | \$21.07 | \$21.84 | 3.65% |
| TC | _ | \$3.61 | \$3.89 | \$4.03 | 3.59% |
| PC | | \$19.13 | \$17.18 | \$17.81 | 3.72% |
| 92588 | Distortion product evoked otoacoustic emissions; | \$34.64 | \$32.41 | \$33.60 | 3.67% |
| TC | comprehensive diagnostic evaluation (quantitative | \$4.69 | \$5.19 | \$5.38 | 3.66% |
| PC | analysis of outer hair cell function by cochlear mapping, | \$29.95 | \$27.22 | \$28.22 | 3.67% |
| 92601 | Diagnostic analysis of cochlear implant, patient younger than 7 years of age; with programming | \$169.98 | \$157.51 | \$161.94 | 2.80% |
| 92602 | Diagnostic analysis of cochlear implant, patient younger than 7 years of age; subsequent reprogramming | \$106.83 | \$100.47 | \$102.47 | 2.00% |
| 92603 | Diagnostic analysis of cochlear implant, age 7 years or older; with programming | \$158.44 | \$147.14 | \$151.53 | 3.00% |
| 92604 | Diagnostic analysis of cochlear implant, age 7 years or older; subsequent programming | \$95.28 | \$89.45 | \$91.39 | 2.20% |
| 92620 | Evaluation of central auditory function, with report; initial 60 minutes | \$96.36 | \$88.48 | \$90.38 | 2.10% |

| 92621 | Evaluation of central auditory function, with report; each additional 15 minutes (List separately in addition to code | | \$21.07 | \$21.84 | 3.70% |
|-------|---|----------|----------|----------|--------|
| | for primary procedure) | | | | |
| 00605 | Assessment of tinnitus (includes pitch, loudness | ć72.40 | ¢65.70 | 667.07 | 2.200/ |
| 92625 | matching, and masking) | \$72.18 | \$65.79 | \$67.87 | 3.20% |
| 92626 | Evaluation of auditory rehabilitation status; first hour | \$92.75 | \$85.24 | \$87.36 | 2.50% |
| | Evaluation of auditory rehabilitation status; each | | | | |
| 92627 | additional 15 minutes (List separately in addition to code | \$22.01 | \$20.09 | \$20.49 | 2% |
| | for primary procedure) | | | | |
| 92640 | Diagnostic analysis with programming of auditory | \$117.65 | \$107.60 | \$110.20 | 2.40% |
| | brainstem implant, per hour | | | | |