

CPT Code	Descriptor	MPFS Final 2021	MPFS Final 2022	MPFS Final 2023	%Change 2022 to 2023
92537	Caloric vestibular test with recording, bilateral; bithermal (ie, one warm and one cool irrigation in each ear for a total of four irrigations)	\$39.86	\$41.87	\$39.67	-5.25%
TC		\$10.37	\$10.38	\$9.59	-7.61%
PC		\$29.49	\$31.49	\$30.08	-4.48%
92538	Caloric vestibular test with recording, bilateral; monothermal (ie, one irrigation in each ear for a total of two irrigations)	\$21.71	\$23.19	\$22.15	-4.48%
TC		\$6.80	\$6.92	\$6.61	-4.48%
PC		\$14.91	\$16.26	\$15.54	-4.43%
92540	Basic vestibular evaluation, includes spontaneous nystagmus test with eccentric gaze fixation nystagmus, with recording, positional nystagmus test, minimum of 4 positions, with recording, optokinetic nystagmus test,	\$105.33	\$113.16	\$107.11	-5.35%
TC		\$31.76	\$34.26	\$31.40	-8.35%
PC		\$73.57	\$78.90	\$75.71	-4.04%
92541	Spontaneous nystagmus test, including gaze and fixation nystagmus, with recording	\$24.31	\$25.95	\$24.80	-4.43%
TC		\$4.54	\$4.84	\$4.30	-11.16%
PC		\$19.77	\$21.11	\$20.50	-2.89%
92542	Positional nystagmus test, minimum of 4 positions, with recording	\$28.20	\$29.76	\$28.43	-4.47%
TC		\$4.54	\$4.50	\$4.30	-4.44%
PC		\$23.66	\$25.26	\$24.13	-4.47%
92544	Optokinetic nystagmus test, bidirectional, foveal or peripheral stimulation, with recording	\$17.18	\$18.34	\$17.52	-4.47%
TC		\$3.57	\$3.81	\$3.64	-4.46%
PC		\$13.61	\$14.53	\$13.88	-4.47%
92545	Oscillating tracking test, with recording	\$16.21	\$17.30	\$16.53	-4.45%
TC		\$3.57	\$3.81	\$3.64	-4.46%
PC		\$12.64	\$13.50	\$12.89	-4.52%
92546	Sinusoidal vertical axis rotational testing	\$117.32	\$128.04	\$125.30	-2.14%
TC		\$103.06	\$112.82	\$110.75	-1.83%
PC		\$14.26	\$15.23	\$14.55	-4.46%
92547	Use of vertical electrodes (List separately in addition to code for primary procedure)	\$9.72	\$10.73	\$10.58	-1.40%
92548	Computerized dynamic posturography sensory organization test (CDPSOT), 6 conditions (ie, eyes open, eyes closed, visual sway, platform sway, eyes closed platform sway, platform and visual sway), including interpretation and report	\$47.97	\$49.83	\$46.61	-6.46%
TC		\$15.56	\$15.23	\$13.89	-8.80%
PC		\$32.41	\$34.61	\$32.72	-5.46%
92549	Computerized dynamic posturography sensory organization test (CDPSOT), 6 conditions (ie, eyes open, eyes closed	\$60.93	\$65.06	\$63.81	-1.92%
TC		\$18.47	\$20.07	\$20.17	0.50%

PC	conditions (ie, eyes open, eyes closed, visual sway, platform sway, eyes closed platform sway, platform and visual sway), including interpretation and report with motor control test measurements	\$42.46	\$44.99	\$43.64	-3.00%
92550		\$21.39	\$22.84	\$21.82	-4.47%
92551	covered	\$11.34	\$11.77	\$11.90	1.10%
92552	only	\$31.76	\$34.26	\$35.04	2.28%
92553	and bone	\$38.57	\$41.53	\$42.98	3.49%
92555	Speech audiometry threshold;	\$23.98	\$25.95	\$27.11	4.47%
92650	Aep scr auditory potential - non covered	\$27.55	\$29.42	\$27.44	-6.73%
92651	Aep broadband with i&r	\$85.56	\$90.32	\$83.64	-7.40%
92652	Aep thrshld est mlt freq i&r	\$119.39	\$118.35	\$111.74	-5.59%
92653	Aep neurodiagnostic i&r	\$83.29	\$87.90	\$83.31	-5.22%
92517	Vemp test i&r cervical	\$81.35	\$69.90	\$76.37	9.26%
92518	Vemp test i&r ocular	\$75.51	\$65.75	\$79.01	20.17%
92519	Vemp tst i&r cervical&ocular	\$126.72	\$108.66	\$131.25	20.79%
92556	Speech audiometry threshold; with speech recognition	\$37.92	\$40.84	\$41.99	2.82%
92557	evaluation and speech recognition (92553 and 92556 combined)	\$35.98	\$38.41	\$36.37	-5.31%
92562	binaural or monaural	\$44.72	\$47.06	\$47.28	0.47%
92563	Tone decay test	\$30.79	\$32.53	\$32.73	0.61%
92565	Stenger test, pure tone	\$16.85	\$19.38	\$19.84	2.37%
92567	Tympanometry (impedance testing)	\$15.88	\$16.96	\$16.20	-4.48%
92568	Acoustic reflex testing, threshold	\$14.90	\$15.92	\$15.21	-4.46%
92570	tympanometry (impedance testing), acoustic reflex threshold testing, and acoustic reflex decay testing	\$31.11	\$33.57	\$31.74	-5.45%
92571	Filtered speech test	\$26.58	\$29.07	\$29.75	2.34%
92572	Staggered spondaic word test	\$35.97	\$41.87	\$46.61	11.32%
92575	Sensorineural acuity level test	\$66.44	\$71.63	\$73.72	2.92%
92576	Synthetic sentence identification test	\$35.97	\$38.76	\$39.34	1.50%
92577	Stenger test, speech	\$15.23	\$19.03	\$20.17	5.99%
92579	(VRA)	\$44.08	\$47.06	\$44.30	-5.86%
92582	Conditioning play audiometry	\$72.60	\$78.90	\$81.00	2.66%
92583	Select picture audiometry	\$48.94	\$51.56	\$53.56	3.88%
92584	Electrocochleography	\$115.38	\$117.66	\$111.74	-5.03%

92587	Distortion product evoked otoacoustic emissions; limited evaluation (to confirm the presence or absence of hearing disorder, 3-6 frequencies) or transient evoked otoacoustic emissions, with interpretation and report	\$21.07	\$22.49	\$21.49	-4.45%
TC		\$3.89	\$4.15	\$3.97	-4.34%
PC		\$17.18	\$18.34	\$17.52	-4.47%
92588	Distortion product evoked otoacoustic emissions; comprehensive diagnostic evaluation (quantitative analysis of	\$32.41	\$34.61	\$33.39	-3.52%
TC		\$5.19	\$5.54	\$5.29	-4.51%
PC		\$27.22	\$29.07	\$28.10	-3.34%
92601	implant, patient younger than 7 years of age; with programming	\$157.51	\$166.80	\$158.69	-4.86%
92602	Diagnostic analysis of cochlear implant, patient younger than 7 years of age; subsequent reprogramming	\$100.47	\$105.55	\$100.50	-4.78%
92603	implant, age 7 years or older; with programming	\$147.14	\$156.07	\$148.77	-4.68%
92604	implant, age 7 years or older; subsequent programming	\$89.45	\$94.13	\$89.92	-4.47%
92620	function, with report; initial 60 minutes	\$88.48	\$93.09	\$87.28	-6.24%
92621	function, with report; each additional 15 minutes (List separately in addition to code for primary procedure)	\$21.07	\$22.49	\$21.49	-4.40%
92625	Assessment of tinnitus (includes pitch, loudness matching, and masking)	\$65.79	\$69.90	\$67.11	-4%
92626	status; first hour	\$85.24	\$89.98	\$85.63	-4.80%
92627	status; each additional 15 minutes (List separately in addition to code for primary procedure)	\$20.09	\$21.11	\$20.17	-4.50%
92640	of auditory brainstem implant, per hour	\$107.60	\$113.51	\$108.11	-4.80%