

# Audiology Superbill Resource

COMMONLY REPORTED CPT CODES (PROCEDURE CODES) CPT ® Copyright 2026 American Medical Association. All rights reserved.

## AUDIOLOGY PROCEDURES

DIAGNOSTIC PROCEDURES		HEARING AID PROCEDURES	
<b>92550</b>	Tymp and reflex threshold measurements	<b>92596</b>	Ear protector attenuation measurements
<b>92551</b>	Screening, PT air only	<b>92626</b>	Eval of auditory function for implant candidacy or postoperative status of implanted device, first hour
<b>92552</b>	PT audio, threshold, air only	<b>92627</b>	Each additional 15 minutes (must bill with 92626)
<b>92553</b>	Air and bone	<b>92628</b>	Evaluation for hearing aid candidacy, first 30 mins
<b>92555</b>	Speech audiometry, threshold	<b>92629</b>	Each additional 15 minutes (must bill with 92628)
<b>92556</b>	Speech audiometry threshold with speech/word recognition	<b>92630</b>	Auditory rehab, prelingual HL
<b>92557</b>	Comp audiology evaluation (92553 and 92556 combined)	<b>92631</b>	Hearing aid evaluation services, first 30 mins
<b>92558</b>	Evoked OAEs, screening	<b>92632</b>	Each additional 15 minutes (must bill with 92631)
<b>92562</b>	Loudness balance test, alternate binaural or monaural	<b>92633</b>	Auditory rehab, postlingual HL
<b>92571</b>	Filtered speech test	<b>92634</b>	Hearing aid fitting services, first 60 mins
<b>92572</b>	Staggered spondaic word test	<b>92635</b>	Each additional 15 minutes (must bill with 92634)
<b>92575</b>	Sensorineural acuity level test	<b>92636</b>	Hearing aid post-fitting follow-up services, first 30 mins
<b>92653</b>	Tone decay test	<b>92637</b>	Each additional 15 minutes (must bill with 92636)
<b>92565</b>	Stenger test, puretone	<b>92638</b>	Behavioral verification of amplification
<b>92567</b>	Tympanometry	<b>92639</b>	Hearing-aid measurement, verification with probe-microphone
<b>92568</b>	Acoustic reflex testing, threshold	<b>92641</b>	Hearing device verification, electroacoustic analysis
<b>92570</b>	Acoustic immittance testing (tymps, ART, ARD)	<b>92642</b>	Hearing assistive device, supplemental technology fitting
<b>92572</b>	Staggered spondaic word test	<b>92601</b>	Cochlear implant and BAHA PROCEDURES
<b>92576</b>	Synthetic sentence identification test	<b>92602</b>	Diagnostic analysis of CI (<7y), with programming
<b>92577</b>	Stenger test, speech	<b>92603</b>	Diagnostic analysis of CI (<7y), subsequent reprogramming
<b>92579</b>	Visual reinforcement audiometry	<b>92604</b>	Diagnostic analysis of CI (7y+), with programming
<b>92582</b>	Conditioned play audiometry	<b>92622</b>	Diagnostic analysis, programming, and verification of an auditory osseointegrated sound processor, any type; first 60 minutes
<b>92584</b>	Electrocochleography	<b>92623</b>	Diagnostic analysis, programming, and verification of an auditory osseointegrated sound processor, any type; each additional 15 minutes
<b>92587</b>	OAES, limited	<b>L8690</b>	Osseointegrated device, internal and external components
<b>92588</b>	OAES, comprehensive	<b>L8691</b>	Osseointegrated device, external processor replacement
<b>92620</b>	Eval of central auditory function, with report, initial 60 min	<b>L8692</b>	Osseointegrated device, external processor (softband)
<b>92621</b>	Each additional 15 minutes (must bill with 92620)	<b>69209</b>	OTHER PROCEDURES
<b>92625</b>	Assessment of tinnitus (pitch, loudness matching, masking)	<b>69210</b>	Cerumen removal, unilateral (irrigation)
<b>92650</b>	Auditory evoked potentials (AEPs); screening with broadband stimuli, automated analysis	<b>G0268</b>	Cerumen removal, unilateral (instrumentation)
<b>92651</b>	AEPs; hearing status determination with broadband stimuli	<b>92700</b>	Cerumen removal by physician on same date as testing
<b>92652</b>	AEPs; for threshold estimation at multiple frequencies	<b>99366</b>	Unlisted otorhinolaryngological service or procedure
<b>92653</b>	AEPs; neurodiagnostic	<b>99368</b>	Medical team conference with interdisciplinary team of healthcare professionals, face to face with patient and/or family, 30 minutes or more.
			Medical team conference, face to face- less than 30 minutes

## VESTIBULAR PROCEDURES

DIAGNOSTIC PROCEDURES		REHABILITATIVE PROCEDURES	
<b>92517</b>	Vestibular evoked myogenic potentials, cervical (cVEMP)	<b>95992</b>	Canalith Repositioning Procedure
<b>92518</b>	Vestibular evoked myogenic potentials, ocular (oVEMP)	<b>0728T</b>	Diagnostic analysis of vestibular implant, unilateral, initial programming
<b>92519</b>	Vestibular evoked myogenic potentials, cVEMP and oVEMP	<b>0729T</b>	Diagnostic analysis of vestibular implant, subsequent programming
<b>92537</b>	Caloric vestibular test, w/ recording, bilateral; bithermal		
<b>92538</b>	Caloric vestibular test, w/ recording, bilateral, monothermal		
<b>92540</b>	Basic vestibular evaluation		
<b>92541</b>	Spontaneous nystagmus test, gaze & fixation, w/ recording		
<b>92542</b>	Positional nystagmus test, w/ recording		
<b>92544</b>	OPK nystagmus, bidirectional, foveal, peripheral stim, w/ rec		
<b>92545</b>	Oscillating tracking test, w/ recording		
<b>92546</b>	Sinusoidal vertical axis rotational testing		
<b>92547</b>	Use of vertical electrodes		
<b>92548</b>	Computerized dynamic posturography		
<b>92549</b>	Computerized dynamic posturography, with MCT and ADT		

## VIRTUAL- ONLY SERVICES

<b>98966</b>	Telephone assess and mngmt service provided by a qualified non-physician healthcare professional to an established patient not originating from a related assess and mngmt service provided in the previous 7 days nor leading up to a procedure within the next 24 hours or soonest available appointment; 5 to 10 minutes of medical discussion	<b>98968</b>	21 or more minutes of medical discussion	<b>98970</b>
	11 to 20 minutes of medical discussion		Nonphysician healthcare professional online digital assess and mngmt service for an established patient, for up to 7 days, cumulative time during the 7 days: 5 to 10 minutes	
<b>98967</b>		<b>98971</b>	11 to 20 minutes online digital assess and mngmt	
		<b>98972</b>	21 or more minutes online digital assess and mngmt	

**COMMON MODIFIERS**

<b>22</b>	Increased procedural service	<b>GA</b>	Waiver of Liability Statement Issued as Required by Payer Policy, Individual Case (Mandatory ABN)
<b>26</b>	Professional Component, If only <i>interpreting</i> 92540–92546, 92548, 92585, 92587, 92588	<b>GX</b>	Notice of Liability Issued, Voluntary Under Payer Policy (Voluntary ABN; may be used with GY)
<b>33</b>	Preventative service	<b>GY</b>	Item or Service Statutorily Excluded, Does Not Meet the Definition of Any Medicare Benefit (May be used with GX)
<b>52</b>	Reduced services	<b>GZ</b>	Item or service expected to be denied as not reasonable and necessary (No ABN was issued)
<b>53</b>	Discontinued procedure	<b>TC</b>	If only <i>performing</i> 92540–92546, 92548, 92585, 92587 92588
<b>59</b>	Distinct procedural service (E.g., Use for 92541, 92542, 92544 or 92545), if reporting 1–3 of these codes individually	<b>RT</b>	Right side of body
<b>76</b>	Procedure performed more than once on same DOS	<b>LT</b>	Left side of body
<b>AB</b>	For Medicare limited direct access codes only		

**COMMONLY REPORTED HCPCS CODES (Hearing aids/supplies/several procedures)**

<b>S0618</b>	Audiometry for HAE to determine the level and degree of HL	<b>V5258</b>	Hearing aid, digital, binaural, CIC
<b>S1001</b>	Deluxe item, patient aware (list in addition to basic item)	<b>V5259</b>	Hearing aid, digital, binaural, ITC
<b>V5008</b>	Hearing screening	<b>V5260</b>	Hearing aid, digital, binaural, ITE
<b>V5010</b>	Assessment for hearing aid	<b>V5261</b>	Hearing aid, digital, binaural, BTE
<b>V5011</b>	Fitting/orientation/checking of hearing aid	<b>V5262</b>	Hearing aid, disposable, any type, monaural
<b>V5014</b>	Repair/modification of a hearing aid	<b>V5263</b>	Hearing aid, disposable, any type, binaural
<b>V5020</b>	Conformity evaluation	<b>V5264</b>	Ear mold/insert, not disposable, any type
<b>V5090</b>	Dispensing fee, unspecified hearing aid	<b>V5265</b>	Ear mold/insert, disposable, any type
<b>V5095</b>	Semi-implantable middle ear hearing prosthesis	<b>V5266</b>	Battery for use in hearing device
<b>V5140</b>	Binaural, behind the ear	<b>V5267</b>	Hearing aid or assistive device supplies/accessories
<b>V5110</b>	Dispensing fee, bilateral	<b>V5268</b>	Assistive listening device, telephone amplifier, any type
<b>V5160</b>	Dispensing fee, binaural	<b>V5269</b>	Assistive listening device, alerting, any type
<b>V5171</b>	Hearing aid, contralateral routing device, monaural, ITE	<b>V5270</b>	Assistive listening device, television amplifier, any type
<b>V5172</b>	Hearing aid, contralateral routing device, monaural, ITC	<b>V5271</b>	Assistive listening device, television caption decoder
<b>V5181</b>	Hearing aid, contralateral routing device, monaural, BTE	<b>V5272</b>	Assistive listening device, TDD
<b>V5190</b>	Hearing aid, contralateral routing device, monaural, glasses	<b>V5273</b>	Assistive listening device, for use with cochlear implant
<b>V5200</b>	Dispensing fee, contralateral, monaural	<b>V5274</b>	Assistive listening device, not otherwise specified
<b>V5211</b>	Hearing aid, contralateral routing device, binaural, ITE/ITE	<b>V5275</b>	Ear impression, each
<b>V5212</b>	Hearing aid, contralateral routing device, binaural, ITC/ITE	<b>V5281</b>	Assistive Listening Device, Personal FM/DM system, monaural (one receiver, transmitter and microphone), any type
<b>V5213</b>	Hearing aid, contralateral routing device, binaural, ITE/BTE	<b>V5282</b>	Assistive Listening Device, Personal FM/DM system, binaural (two receivers, transmitter and microphone), any type
<b>V5214</b>	Hearing aid, contralateral routing device, binaural, ITC/ITC	<b>V5283</b>	Assistive Listening Device, Personal FM/DM neck, loop induction receiver
<b>V5215</b>	Hearing aid, contralateral routing device, binaural, ITC/BTE	<b>V5284</b>	Assistive Listening Device, Personal FM/DM, ear level receiver
<b>V5221</b>	Hearing aid, contralateral routing device, binaural, BTE/BTE	<b>V5285</b>	Assistive Listening Device, Personal FM/DM, direct audio input receiver
<b>V5230</b>	Hearing aid, contralateral routing system, binaural, glasses	<b>V5286</b>	Assistive Listening Device, Personal blue tooth FM/DM receiver
<b>V5240</b>	Dispensing fee, contralateral routing system, binaural	<b>V5287</b>	Assistive Listening Device, Personal FM/DM receiver, not otherwise specified
<b>V5241</b>	Dispensing fee, monaural hearing aid, any type	<b>V5288</b>	Assistive Listening Device, Personal FM/DM transmitter assistive listening device
<b>V5244</b>	Hearing aid, digitally programmable analog, monaural, CIC	<b>V5289</b>	Assistive Listening Device, Personal FM/DM adapter/boot coupling device for receiver, any type
<b>V5245</b>	Hearing aid, digitally programmable analog, monaural, ITC	<b>V5290</b>	Assistive Listening Device, Transmitter microphone, any type
<b>V5246</b>	Hearing aid, digitally programmable analog, monaural, ITE	<b>V5298</b>	Hearing aid, not otherwise classified (e.g., OTC hearing aid)
<b>V5247</b>	Hearing aid, digitally programmable analog, monaural, BTE	<b>V5299</b>	Hearing service, miscellaneous
<b>V5250</b>	Hearing aid, digitally programmable analog, binaural, CIC		
<b>V5251</b>	Hearing aid, digitally programmable analog, binaural, ITC		
<b>V5252</b>	Hearing aid, digitally programmable, binaural, ITE		
<b>V5253</b>	Hearing aid, digitally programmable, binaural, BTE		
<b>V5254</b>	Hearing aid, digital, monaural, CIC		
<b>V5255</b>	Hearing aid, digital, monaural, ITC		
<b>V5256</b>	Hearing aid, digital, monaural, ITE		
<b>V5257</b>	Hearing aid, digital, monaural, BTE		

**Disclaimer:** The purpose of the information provided above by the American Academy of Audiology Coding and Reimbursement Committee is to provide general information and educational guidance to audiologists. Action taken with respect to the information provided is an individual choice. The American Academy of Audiology hereby disclaims any responsibility for the consequences of any action(s) taken by any individual(s) as a result of using the information provided, and reader agrees not to take action against, or seek to hold, or hold liable, the American Academy of Audiology for the reader's use of the information provided. As used herein, the "American Academy of Audiology" shall be defined to include its directors, officers, employees, volunteers, members and agents.

## Commonly Reported ICD-10 Codes (Disease/Diagnosis Codes)

### **H90 Conductive and Sensorineural Hearing Loss**

<b>H90.0</b> Conductive hearing loss, bilateral <b>H90.1</b> Conductive hearing loss, unilateral, with unrestricted hearing on the contralateral side <b>H90.11</b> CHL, unilateral, right ear, with unrestricted hearing on the contralateral side <b>H90.12</b> CHL, unilateral, left ear, with unrestricted hearing on the contralateral side <b>H90.2</b> CHL, unspecified <b>H90.3</b> SNHL, bilateral <b>H90.4</b> SNHL, unilateral with unrestricted hearing on the contralateral side <b>H90.41</b> SNHL, unilateral, right ear, with unrestricted hearing on the contralateral side <b>H90.42</b> SNHL, unilateral, left ear, with unrestricted hearing on the contralateral side <b>H90.5</b> Unspecified SNHL <b>H90.6</b> Mixed conductive and SNHL, bilateral <b>H90.7</b> Mixed CHL and SNHL, unilateral with unrestricted hearing on the contralateral side <b>H90.71</b> Mixed conductive and sensorineural hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side <b>H90.72</b> Mixed conductive and sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side <b>H90.8</b> Mixed conductive and SNHL, unspecified	<b>H90.A</b> Conductive and sensorineural hearing loss with restricted hearing on the contralateral side <b>H90.A1</b> Conductive hearing loss, unilateral, with restricted hearing on the contralateral side <b>H90.A11</b> Conductive hearing loss, unilateral, right ear with restricted hearing on contralateral side <b>H90.A12</b> Conductive hearing loss, unilateral, left ear with restricted hearing on contralateral side <b>H90.A2</b> SNHL, unilateral, with restricted hearing on the contralateral side <b>H90.A21</b> SNHL, unilateral, right ear, w/ restricted hearing on the contralateral side <b>H90.A22</b> SNHL, unilateral, left ear, with restricted hearing on the contralateral side <b>H90.A3</b> Mixed conductive and SNHL, unilateral with restricted hearing on the contralateral side <b>H90.A31</b> Mixed conductive and SNHL, unilateral, right ear with restricted hearing on contra side <b>H90.A32</b> Mixed conductive and SNHL, unilateral, left ear with restricted hearing on contra side <b>H91.8</b> Other specified hearing loss <b>H91.8X</b> Other specified hearing loss <b>H91.8X1</b> Other specified hearing loss, right ear <b>H91.8X2</b> Other specified hearing loss, left ear <b>H91.8X3</b> Other specified hearing loss, bilateral <b>H91.8X9</b> Other specified hearing loss, unspecified ear
---	---

### **H91 Other and unspecified hearing loss**

<b>H91.0</b> Ototoxic hearing loss (code the hearing loss first and the poisoning due to drug or toxin, if applicable with T36-T65 with fifth or sixth character 1-4 or 6) second. (Use additional code for adverse effect, if applicable, to identify drug, with fifth or sixth character 5) <b>H91.01</b> Ototoxic hearing loss, right ear <b>H91.02</b> Ototoxic hearing loss, left ear <b>H91.03</b> Ototoxic hearing loss, bilateral <b>H91.09</b> Ototoxic hearing loss, unspecified ear	<b>H91.1</b> Presbycusis <b>H91.10</b> Presbycusis, unspecified ear <b>H91.11</b> Presbycusis, right ear <b>H91.12</b> Presbycusis, left ear <b>H91.13</b> Presbycusis, bilateral <b>H91.2</b> Sudden idiopathic hearing loss <b>H91.20</b> Sudden idiopathic hearing loss, unspecified ear <b>H91.21</b> Sudden idiopathic hearing loss, right ear <b>H91.22</b> Sudden idiopathic hearing loss, left ear <b>H91.23</b> Sudden idiopathic hearing loss, bilateral
--	---

### **Other abnormal auditory perceptions**

<b>H93.2</b> Other abnormal auditory perceptions <b>H93.21</b> Auditory recruitment <b>H93.211</b> Auditory recruitment, right ear <b>H93.212</b> Auditory recruitment, left ear <b>H93.213</b> Auditory recruitment, bilateral <b>H93.219</b> Auditory recruitment, unspecified ear <b>H93.22</b> Diplacusis <b>H93.221</b> Diplacusis, right ear <b>H93.222</b> Diplacusis, left ear <b>H93.223</b> Diplacusis, bilateral <b>H93.229</b> Diplacusis, unspecified ear	<b>H93.23</b> Hyperacusis <b>H93.231</b> Hyperacusis, right ear <b>H93.232</b> Hyperacusis, left ear <b>H93.233</b> Hyperacusis, bilateral <b>H93.239</b> Hyperacusis, unspecified ear <b>H93.24</b> Temporary auditory threshold shift <b>H93.25</b> Central auditory processing disorder <b>H93.29</b> Other abnormal auditory perceptions <b>H93.291</b> Other abnormal auditory perceptions, right ear <b>H93.292</b> Other abnormal auditory perceptions, left ear <b>H93.293</b> Other abnormal auditory perceptions, bilateral <b>H93.299</b> Other abnormal auditory perceptions, unspecified ear
--	--

### **Tinnitus**

<b>H93.1</b> Tinnitus <b>H93.11</b> Tinnitus, right ear <b>H93.12</b> Tinnitus, left ear <b>H93.13</b> Tinnitus, bilateral <b>H93.19</b> Tinnitus, unspecified ear	<b>H93.A</b> Pulsatile tinnitus <b>H93.A1</b> Pulsatile tinnitus, right ear <b>H93.A2</b> Pulsatile tinnitus, left ear <b>H93.A3</b> Pulsatile tinnitus, bilateral <b>H93.A9</b> Pulsatile tinnitus, unspecified ear
--	--

### **Other diseases of inner ear**

<b>H83.3</b> Noise effects on inner ear <b>H83.3X</b> Noise effects on inner ear <b>H83.3X1</b> Noise effects on right inner ear	<b>H83.3X2</b> Noise effects on left inner ear <b>H83.3X3</b> Noise effects on inner ear, bilateral <b>H83.3X9</b> Noise effects on inner ear, unspecified ear
--	--

### **Cerumen**

<b>H61.2</b> Impacted cerumen <b>H61.20</b> Impacted cerumen, unspecified ear <b>H61.21</b> Impacted cerumen, right ear <b>H61.22</b> Impacted cerumen, left ear <b>H61.23</b> Impacted cerumen, bilateral
--

## Otitis Media

<b>Acute</b>	<b>Chronic</b>
<b>H65.01</b> Acute serous otitis media, right ear	<b>H65.20</b> Chronic serous otitis media, unspecified ear
<b>H65.02</b> Acute serous otitis media, left ear	<b>H65.21</b> Chronic serous otitis media, right ear
<b>H65.03</b> Acute serous otitis media, bilateral	<b>H65.22</b> Chronic serous otitis media, left ear
<b>H65.04</b> Acute serous otitis media, recurrent, right ear	<b>H65.23</b> Chronic serous otitis media, bilateral
<b>H65.05</b> Acute serous otitis media, recurrent, left ear	
<b>H65.06</b> Acute serous otitis media, recurrent, bilateral	

## Disorders of vestibular function

<b>H81</b> Disorders of vestibular dysfunction	<b>H81.3</b> Other Peripheral vertigo (with H81.391, .392, .393, .399- right ear, left ear and bilateral, unspecified)
<b>H81.0</b> Ménière's disease	<b>H81.4</b> Vertigo of central origin
<b>H81.01</b> Ménière's disease, right ear	<b>H81.49</b> Vertigo of central origin, unspecified ear
<b>H81.02</b> Ménière's disease, left ear	<b>H81.8</b> Other disorders of vestibular function
<b>H81.03</b> Ménière's disease, bilateral	<b>H81.8X</b> Other disorders of vestibular function
<b>H81.09</b> Ménière's disease, unspecified ear	<b>H81.8X1</b> Other disorders of vestibular function, right ear
<b>H81.1</b> Benign paroxysmal vertigo	<b>H81.8X2</b> Other disorders of vestibular function, left ear
<b>H81.10</b> Benign paroxysmal vertigo, unspecified ear	<b>H81.8X3</b> Other disorders of vestibular function, bilateral
<b>H81.11</b> Benign paroxysmal vertigo, right ear	<b>H81.8X9</b> Other disorders of vestibular function, unspecified ear
<b>H81.12</b> Benign paroxysmal vertigo, left ear	<b>H82</b> Vertiginous syndromes classified elsewhere
<b>H81.13</b> Benign paroxysmal vertigo, bilateral	<b>H83.0</b> Labyrinthine Dysfunction
<b>H81.2</b> Vestibular neuronitis	<b>H83.2X1</b> Labyrinthine dysfunction, right ear
<b>H81.20</b> Vestibular neuronitis, unspecified ear	<b>H83.2X2</b> Labyrinthine dysfunction, left ear
<b>H81.21</b> Vestibular neuronitis, right ear	<b>H83.2X3</b> Labyrinthine dysfunction, bilateral
<b>H81.22</b> Vestibular neuronitis, left ear	<b>H83.1</b> Labyrinthine fistula
<b>H81.23</b> Vestibular neuronitis, bilateral	<b>H55.8</b> Other irregular eye movement
	<b>H55.81</b> Deficient saccadic eye movement
	<b>H55.82</b> Deficient smooth pursuit eye movements

## Dizziness, auditory hallucinations and abnormal results

<b>R42</b> Dizziness and giddiness	
<b>R44.0</b> Auditory hallucinations	
<b>R62.0</b> Delayed milestone in childhood.	
<b>R94.12</b> Abnormal results of function studies of ear and other special senses	
<b>R94.120</b> Abnormal auditory function study	
<b>R94.121</b> Abnormal vestibular function study	
<b>R94.122</b> Abnormal results of other function studies of the ear and other special senses	

## Factors influencing health status and contact with health services:

Z codes are supplemental codes and represent reasons for an encounter and must be reported with a procedure, if performed.

<b>Z01.1</b> Encounter for examination of ears and hearing	<b>Z46.1</b> Encounter for fitting and adjustment of hearing aid
<b>Z01.10</b> Encounter for examination of ears and hearing without abnormal findings	<b>Z55</b> Problems related to education and literacy
<b>Z01.11</b> Encounter for examination of ears and hearing with abnormal findings	<b>Z56</b> Problems related to employment and unemployment
<b>Z01.110</b> Encounter for hearing examination following failed hearing screening	<b>Z57</b> Occupational exposure to risk factors
<b>Z01.118</b> Encounter for examination of ears and hearing with other abnormal findings (use additional code to identify abnormal findings)	<b>Z58</b> Problems related to physical environment
<b>Z01.12</b> Encounter for hearing conservation and treatment	<b>Z59</b> Problems related to housing and economic circumstances
Encounter for administrative examination	<b>Z60</b> Problems related to social environment
<b>Z02.1</b> Encounter for examination for admission to educational institution	<b>Z62</b> Problems related to upbringing
<b>Z02.2</b> Encounter for pre-employment examination	<b>Z63</b> Other problems related to primary support group, including family circumstances
<b>Z02.3</b> Encounter for exam for recruitment to armed services	<b>Z64</b> Problems related to certain psychosocial circumstances
<b>Z02.71</b> Encounter for disability determination	<b>Z65</b> Problems related to other psychosocial circumstances
<b>Z03</b> Encounter for screening for other diseases and disorders	<b>Z71.2</b> Person consulting for explanation of examination or test findings
<b>Z13.5</b> Encounter for screening for eye and ear disorders	<b>Z76.5</b> Maligner (personal feigning illness with obvious motivation)
<b>Z13.850</b> Encounter for screening for traumatic brain injury	<b>Z77.122</b> Contact with and (suspected) exposure to noise
<b>Z45</b> Encounter for adjustment and management of implanted device	<b>Z83.52</b> Family history of ear disorders
<b>Z45.320</b> Encounter for adjustment and management of bone conduction device	<b>Z91.81</b> History of falling, risk of falling, or increased susceptibility to falling.
<b>Z45.321</b> Encounter for adjustment and management of cochlear device	<b>Z96.2</b> Presence of otological and audiological implants
<b>Z45.328</b> Encounter for adjustment and management of other implanted hearing device	<b>Z96.20</b> Presence of otological and audiological implants, unspecified
	<b>Z96.21</b> Cochlear implant status
	<b>Z96.22</b> Myringotomy tube(s) status
	<b>Z96.29</b> Presence of other otological and audiological implants