

**Audiology Codes Medicare Physician Fee Schedule Proposed CY 2027 vs Final CY 2026**

| CPT Code | Modifier | Description                      | CY2026<br>NON FACILITY<br>Final Payment | CY2027<br>NON FACILITY<br>Proposed<br>Payment | Percentage Variance<br>2026-2026<br>NON FACILITY | Dollar Variance<br>2026-2027<br>NON FACILITY |
|----------|----------|----------------------------------|-----------------------------------------|-----------------------------------------------|--------------------------------------------------|----------------------------------------------|
| 92513    |          | Whit lat smrcrlr canal funcj     | n/a                                     | \$ 30.54                                      | n/a                                              | n/a                                          |
| 92514    |          | Whit lat&ver smrcrlr cnl func    | n/a                                     | \$ 47.29                                      | n/a                                              | n/a                                          |
| 92517    |          | Vemp test i&r cervical           | \$ 73.81                                | \$ 69.96                                      | -6%                                              | \$ (3.85)                                    |
| 92518    |          | Vemp test i&r ocular             | \$ 74.82                                | \$ 71.92                                      | -4%                                              | \$ (2.90)                                    |
| 92519    |          | Vemp tst i&r cervical&ocular     | \$ 116.57                               | \$ 113.95                                     | -2%                                              | \$ (2.62)                                    |
| 92527    |          | Rotl vstblr asmt sha tstg        | n/a                                     | \$ 71.92                                      | n/a                                              | n/a                                          |
| 92527    | TC       | Rotl vstblr asmt sha tstg        | n/a                                     | \$ 44.66                                      | n/a                                              | n/a                                          |
| 92527    | 26       | Rotl vstblr asmt sha tstg        | n/a                                     | \$ 27.26                                      | n/a                                              | n/a                                          |
| 92528    |          | Rotl vstblr asmt sha tstg w/ VST | n/a                                     | \$ 24.30                                      | n/a                                              | n/a                                          |
| 92528    | TC       | Rotl vstblr asmt sha tstg w/ VST | n/a                                     | \$ 7.55                                       | n/a                                              | n/a                                          |
| 92528    | 26       | Rotl vstblr asmt sha tstg w/ VST | n/a                                     | \$ 16.75                                      | n/a                                              | n/a                                          |
| 92537    |          | Caloric vstblr test w/rec        | \$ 39.41                                | \$ 37.77                                      | -4%                                              | \$ (1.64)                                    |
| 92537    | TC       | Caloric vstblr test w/rec        | \$ 9.02                                 | \$ 8.54                                       | -6%                                              | \$ (0.48)                                    |
| 92537    | 26       | Caloric vstblr test w/rec        | \$ 30.39                                | \$ 29.23                                      | -4%                                              | \$ (1.16)                                    |
| 92538    |          | Caloric vstblr test w/rec        | \$ 21.71                                | \$ 20.69                                      | -5%                                              | \$ (1.02)                                    |
| 92538    | TC       | Caloric vstblr test w/rec        | \$ 6.35                                 | \$ 5.91                                       | -7%                                              | \$ (0.44)                                    |
| 92538    | 26       | Caloric vstblr test w/rec        | \$ 15.37                                | \$ 14.78                                      | -4%                                              | \$ (0.59)                                    |
| 92540    |          | Basic vestibular evaluation      | \$ 103.21                               | \$ 98.85                                      | -4%                                              | \$ (4.36)                                    |
| 92540    | TC       | Basic vestibular evaluation      | \$ 29.06                                | \$ 26.93                                      | -8%                                              | \$ (2.13)                                    |
| 92540    | 26       | Basic vestibular evaluation      | \$ 74.15                                | \$ 71.92                                      | -3%                                              | \$ (2.23)                                    |
| 92541    |          | Spontaneous nystagmus test       | \$ 29.06                                | \$ 26.93                                      | -8%                                              | \$ (2.13)                                    |
| 92541    | TC       | Spontaneous nystagmus test       | \$ 4.34                                 | \$ 3.94                                       | -10%                                             | \$ (0.40)                                    |
| 92541    | 26       | Spontaneous nystagmus test       | \$ 20.37                                | \$ 19.70                                      | -3%                                              | \$ (0.67)                                    |
| 92542    |          | Positional nystagmus test        | \$ 28.39                                | \$ 27.26                                      | -4%                                              | \$ (1.13)                                    |
| 92542    | TC       | Positional nystagmus test        | \$ 4.34                                 | \$ 3.61                                       | -20%                                             | \$ (0.73)                                    |
| 92542    | 26       | Positional nystagmus test        | \$ 24.38                                | \$ 23.94                                      | -2%                                              | \$ (0.44)                                    |
| 92544    |          | Optokinetic nystagmus test       | \$ 17.70                                | \$ 16.75                                      | -6%                                              | \$ (0.95)                                    |
| 92544    | TC       | Optokinetic nystagmus test       | \$ 3.67                                 | \$ 3.28                                       | -12%                                             | \$ (0.39)                                    |
| 92544    | 26       | Optokinetic nystagmus test       | \$ 14.03                                | \$ 13.46                                      | -4%                                              | \$ (0.57)                                    |
| 92545    |          | Oscillating tracking test        | \$ 16.70                                | \$ 15.76                                      | -6%                                              | \$ (0.94)                                    |
| 92545    | TC       | Oscillating tracking test        | \$ 3.67                                 | \$ 3.28                                       | -12%                                             | \$ (0.39)                                    |
| 92545    | 26       | Oscillating tracking test        | \$ 13.03                                | \$ 12.48                                      | -4%                                              | \$ (0.55)                                    |
| 92547    |          | Supplemental electrical test     | \$ 11.02                                | \$ 10.18                                      | -8%                                              | \$ (0.84)                                    |
| 92548    |          | Cdp-sot 6 cond w/i&r             | \$ 47.43                                | \$ 45.65                                      | -4%                                              | \$ (1.78)                                    |
| 92548    | TC       | Cdp-sot 6 cond w/i&r             | \$ 14.36                                | \$ 13.79                                      | -4%                                              | \$ (0.57)                                    |
| 92548    | 26       | Cdp-sot 6 cond w/i&r             | \$ 33.07                                | \$ 31.85                                      | -4%                                              | \$ (1.22)                                    |
| 92549    |          | Cdp-sot 6 cond w/i&r mct&adt     | \$ 62.12                                | \$ 60.75                                      | -2%                                              | \$ (1.37)                                    |
| 92549    | TC       | Cdp-sot 6 cond w/i&r mct&adt     | \$ 19.04                                | \$ 18.39                                      | -4%                                              | \$ (0.65)                                    |
| 92549    | 26       | Cdp-sot 6 cond w/i&r mct&adt     | \$ 43.09                                | \$ 42.36                                      | -2%                                              | \$ (0.73)                                    |
| 92550    |          | Tympanometry & reflex thresh     | \$ 21.71                                | \$ 20.69                                      | -5%                                              | \$ (1.02)                                    |
| 92551    |          | Pure tone hearing test air       | \$ 13.36                                | \$ 12.81                                      | -4%                                              | \$ (0.55)                                    |
| 92552    |          | Pure tone audiometry air         | \$ 40.75                                | \$ 37.66                                      | -8%                                              | \$ (3.09)                                    |
| 92553    |          | Audiometry air & bone            | \$ 49.43                                | \$ 45.98                                      | -8%                                              | \$ (3.45)                                    |
| 92555    |          | Speech threshold audiometry      | \$ 29.73                                | \$ 27.59                                      | -8%                                              | \$ (2.14)                                    |
| 92556    |          | Speech audiometry complete       | \$ 46.43                                | \$ 43.35                                      | -7%                                              | \$ (3.08)                                    |
| 92557    |          | Comprehensive hearing test       | \$ 36.07                                | \$ 34.48                                      | -5%                                              | \$ (1.59)                                    |
| 92558    |          | Evoked auditory test qual        | \$ 9.69                                 | \$ 9.20                                       | -5%                                              | \$ (0.49)                                    |
| 92562    |          | Loudness balance test            | \$ 49.43                                | \$ 45.98                                      | -8%                                              | \$ (3.45)                                    |
| 92563    |          | Tone decay hearing test          | \$ 35.74                                | \$ 33.17                                      | -8%                                              | \$ (2.57)                                    |
| 92565    |          | Stenger test pure tone           | \$ 23.05                                | \$ 21.02                                      | -10%                                             | \$ (2.03)                                    |
| 92567    |          | Tympanometry                     | \$ 16.03                                | \$ 15.11                                      | -6%                                              | \$ (0.92)                                    |
| 92568    |          | Acoustic refl threshold tst      | \$ 15.36                                | \$ 14.78                                      | -4%                                              | \$ (0.58)                                    |
| 92570    |          | Acoustic imittance testing       | \$ 31.40                                | \$ 30.54                                      | -3%                                              | \$ (0.86)                                    |
| 92571    |          | Filtered speech hearing test     | \$ 31.40                                | \$ 28.90                                      | -9%                                              | \$ (2.50)                                    |
| 92572    |          | Staggered spondaic word test     | \$ 60.45                                | \$ 56.48                                      | -7%                                              | \$ (3.97)                                    |
| 92575    |          | Sensorineural acuity test        | \$ 74.48                                | \$ 68.64                                      | -9%                                              | \$ (5.84)                                    |
| 92576    |          | Synthetic sentence test          | \$ 42.42                                | \$ 39.74                                      | -7%                                              | \$ (2.68)                                    |
| 92584    |          | Electrocochleography             | \$ 105.21                               | \$ 99.83                                      | -5%                                              | \$ (5.38)                                    |
| 92587    |          | Evoked auditory test limited     | \$ 22.04                                | \$ 21.02                                      | -5%                                              | \$ (1.02)                                    |
| 92587    | TC       | Evoked auditory test limited     | \$ 3.67                                 | \$ 3.28                                       | -12%                                             | \$ (0.39)                                    |
| 92587    | 26       | Evoked auditory test limited     | \$ 18.37                                | \$ 17.73                                      | -4%                                              | \$ (0.64)                                    |
| 92588    |          | Evoked auditory tst complete     | \$ 33.75                                | \$ 32.18                                      | -5%                                              | \$ (1.57)                                    |
| 92588    | TC       | Evoked auditory tst complete     | \$ 5.01                                 | \$ 4.60                                       | -9%                                              | \$ (0.41)                                    |
| 92588    | 26       | Evoked auditory tst complete     | \$ 28.72                                | \$ 27.59                                      | -4%                                              | \$ (1.13)                                    |
| 92596    |          | Ear protector evaluation         | \$ 78.82                                | \$ 72.90                                      | -8%                                              | \$ (5.92)                                    |
| 92597    |          | Oral speech device eval          | \$ 71.14                                | \$ 68.31                                      | -4%                                              | \$ (2.83)                                    |
| 92601    |          | Cochlear implt f/up exam <7      | \$ 154.64                               | \$ 147.78                                     | -5%                                              | \$ (6.86)                                    |
| 92602    |          | Reprogram cochlear implt <7      | \$ 97.19                                | \$ 92.93                                      | -5%                                              | \$ (4.26)                                    |
| 92603    |          | Cochlear implt f/up exam 7/>     | \$ 145.62                               | \$ 139.90                                     | -4%                                              | \$ (5.72)                                    |
| 92604    |          | Reprogram cochlear implt 7/>     | \$ 87.84                                | \$ 83.74                                      | -5%                                              | \$ (4.10)                                    |
| 92620    |          | Auditory function 60 min         | \$ 86.84                                | \$ 85.06                                      | -2%                                              | \$ (1.78)                                    |
| 92621    |          | Auditory function + 15 min       | \$ 20.71                                | \$ 20.03                                      | -3%                                              | \$ (0.68)                                    |

|       |  |                              |           |           |     |           |
|-------|--|------------------------------|-----------|-----------|-----|-----------|
| 92622 |  | Dx aly aud oi snd prcsr 1st  | \$ 75.82  | \$ 74.22  | -2% | \$ (1.60) |
| 92623 |  | Dx aly aud oi snd prcsr each | \$ 19.37  | \$ 19.05  | -2% | \$ (0.32) |
| 92625 |  | Tinnitus assessment          | \$ 65.80  | \$ 62.72  | -5% | \$ (3.08) |
| 92626 |  | Eval aud funcj 1st hour      | \$ 84.50  | \$ 81.11  | -4% | \$ (3.39) |
| 92627 |  | Eval aud funcj ea addl 15    | \$ 20.05  | \$ 19.05  | -5% | \$ (1.00) |
| 92640 |  | Aud brainstem implt programg | \$ 104.21 | \$ 102.13 | -2% | \$ (2.08) |
| 92650 |  | Aep scr auditory potential   | \$ 27.05  | \$ 25.62  | -6% | \$ (1.43) |
| 92651 |  | Aep hearing status deter i&r | \$ 79.49  | \$ 75.86  | -5% | \$ (3.63) |
| 92652 |  | Aep thrshld est mlt freq i&r | \$ 108.22 | \$ 102.79 | -5% | \$ (5.43) |
| 92653 |  | Aep neurodiagnostic i&r      | \$ 79.83  | \$ 76.52  | -4% | \$ (3.31) |

**KEY - TC - Technical Component 26 - Professional Component**

Source - <https://www.cms.gov/medicare/payment/fee-schedules/physician/federal-regulation-notice/cms-1850-p>

updated September 21, 2026, with new code #s released in CPT® 2027 code book